# author index


Aakermann, T. 761
Abburra, R. E. 469
Acebes-Grinoves, J. R. 69
Agosti, D. 559
Ahmad, S. 269
Ahmed, A. A. 785
Aiken, S. G. 615
Al-Wakeel, S. A. M. 259
Altena, I. A. van 493
Anderson, O. M. 145
Ansorge, H. 363
Arruda, M. S. P. 173
Arslanian, R. L. 481
Ayasse, M. 351

Bachmann, P. 69, 75, 583
Baldwin, J. 535
Barbe, J. -P. 697
Barros, C. S. L. de 393
Bellés, X. 311
Berenbaum, M. R. 197
Biolley, J. -P. 697
Bisby, F. 639
Blackman, A. J. 339
Blunden, G. 373
Boevé, J.-L. 107
Bohm, B. A. 591
Bonelli, E. 753
Bouzat, J. L. 723
Braekman, J.-C. 343, 417
Brandl, R. 325, 597
Brieva, L. 747
Brophy, J. J. 689

Cambie, R. C. 265, 708
Canto, P. 75
Caputo, P. 753
Castro, O. 481
Chang Yi Xie 179, 433
Chène, P. 113
Cipollini, M. L. 501
Clarkson, J. E. 689
Cool, L. G. 25, 123, 133
Cooper-Driver, G. A. 99
Czygan, F.-C. 69, 75, 583

Daloze, D. 343, 417
Dancik, B. P. 433
Das, M. F. 173
Davies, N. W. 339
Dettner, K. 107
Devries, A. L. 233
Díaz, J. 187
Djurkovic, R. 255
Dokkedal, A. L. 31
Dopazo, H. J. 723
Duletic, S. 389
Dustin, C. D. 99
Dutschewska, H. 255

Eash, J. A. 268
Elliger, C. A. 268
Engels, W. 351
Erasmus, B. H. 401
Everett, R. L. 41

Fanciulli, P. P. 297
Fernandes, J. B. 173
Forde, M. B. 615
Formas, J. R. 747
Francke, W. 107, 351
Frati, F. 297
Fried, B. 553
Fusco, G. 605

Gallardo, M. H. 523
Gardiner, S. E. 615
Gasic, O. 255
Geddes, J. D. 41
Gerber, S. 485
Gil, M. I. 589
Giner, R. M. 187, 449
Gonnet, J.-F. 149
González, A. G. 311
Greinwald, R. 69, 75, 583
Griffiths, M. W. 89
Gurni, A. A. 685
Guzman, C. A. 469

Häder, D. -P. 485
Hajjou, M. 331
Ham, R. C. H. J. van 243
Hanlidou, E. 33, 665
Harborne, J. B. 266, 459
Haron, N. W. 266
Harrison, D. A. 89
't Hart, H. 243
Hartl, G. B. 363
Hassanali, A. 593
Hasson, E. 723
Hermenegildo, M. 449
Honeycutt, R. L. 401
Hughes, J. M. 89
Hung, A. C. F. 395

Irons, M. W. 373
Ivancheva, S. 589

Janecek, L. L. 401
Jansen, R. K. 17

Jay, M. 697
Jiménez, I. A. 311
Johns, P. E. 233
Jonas, R. 25

Kade, M. 685
Kapor, S. 389
Keegans, S. J. 559
Kers, L. E. 394
Kim, H. S. 707
Kim, I. H. 707
Knowles, P. 179
Kokkalou, E. 33, 665
Kokkini, S. 33, 665
Kunze, A. 711
Kuzmanov, B. 255

Lal, A. R. 265, 708
Le Gal, Y. 331
Lee, K. 197
Leitao Filho, H. F. 783
Lesage, L. 343
Liaaen-Jensen, S. 761
Liddell, J. R. 393
Long-Sheng Mao 771
Lorenzini, R. 605
Lübke, G. 351
Lüning, B. 394

Mabry, T. J. 785
Maffei, M. 573
Magalhaes, A. F. 783
Magalhaes, E. G. 783
Mahamat, H. 593
Manez, S. 449
Mann, W. 325, 597
Mansour, R. M. A. 443
Manteuffel, R. 639
Máñez, S. 187
Marin, P. D. 389
Markowski, J. 363
Marr, K. L. 209
Martoja, R. 541
Massamba, N. N. 593
Massarini, A. 723
Mazarguil, H. 113
McDonald, M. A. 233
McPherson C. E. 317
Merfort, I. 590
Mes, T. H. M. 243
Meyer, H. 107
Mihok, S. 593
Miller, G. C. 41, 53
Ming-He Yang, 373
Monniot, C. 541
Monniot, F. 541
Moore, D. M. 266
Morgan, E. D. 559
Morgan, H. 593
Mortimer, K. 535
Musacchio, A. 753
Mutinga, M. J. 593

Norton, R. A. 219
Novak, J. M. 233
Nunes Junior, V. 783

Obrist, C. M. 9
Owen, R. E. 1

Packer, L. 1
Pal, B. 255
Palma, R. E. 523
Palmer, S. C. 219
Panero, J. L. 671
Pasteels, J. M. 107, 343
Paßreiter, C. M. 590
Patak, A. 535
Patel, A. V. 373
Pausler, M. G. 265
Peris, J. B. 449
Petkovic, B. 389
Pinkas, M. 453
Pirani, J. R. 173
Piulachs, M. D. 311
Pomeroy, M. 473
Popovic, M. 255
Posthuma, L. 297
Proksch, P. 711
Przybylska, J. 639

Rafii, Z. 25, 123
Ralph, C. E. 339
Randi, E. 605
Randoux, T. 343
Randriaminahy, M. 711
Rao, K. S. 553
Raubeson, L. A. 17
Rautenbach, I. L. 401
Ravelo. G. G. 311
Recio, M. C. 187, 449
Reig, O. A. 723
Reig, S. 401
Rios, J.-L. 187, 449
Roch, O. G. 373
Romo-Contreras, V. 787
Rougé, P. 113
Ruelle, M. de la 331
Rutledge, P. S. 708

Saino, N. 605, 771
Sajdl, V. 389
Salatino, A. 31
Saleh, N. A. M. 443
Sanchez-Yelamo, M. D. 631
Sandbrink, J. M. 243

Scannerini, S. 573
Schilling, E. E. 671
Schlitter, D. A. 401
Schutte, A. L. 163
Scogin, R. 477, 787
Seffers, P. 394
Seneviratne, G. I. 459
Sharaf, M. 443
Sherma, J. 553
Shi-Bao Ji 771
Shore, J. S. 9
Sick, M. 351
Silva, G. F. da 173
Singleton, C. K. 317
Skulberg, O. M. 761
Smith, B. E. 373
Smith, M. H. 233
Smith, M. W. 233
Soest, R. W. M. van 417
Soriano, C. 187
Spaller, M. 785
Spring, O. 671
Sprinzl, M. 325
Steinberg, P. D. 493
Stermitz, F. R. 393, 473, 481
Stiles, E. W. 501
Stoller, C. 417
Strittmatter, C. D. 685
Suchentrunk, F. 363
Svensson, B. G. 351
Sywula, T. 735

Takido, M. 707
Tamma, R. V. 41
Tang, C. S. 209
Tatic, B. 389
Tengö, J. 351
Timmermans, M. 343
Tomás-Barberán, F. A. 589
Tomás-Lorente, F. 589
Torck, M. 453

Van Herp. F. 331
Van Wyk, B.-E. 163
Verdoorn, G. H. 163
Vieira, P. C. 173

Wagner, M. L. 685
Waiss, A. C. Jr 268
Watson, L. 657
Wee, Y. -C. 657
Wehner, R. 559
White, M. M. 515
Willing, R. 363
Willuhn, G. 590
Wilt, F. M. 41, 53
Witte, L. 69, 75, 583, 711
Woodgate, P. D. 708
Wray, V. 711
Wright, M. 515

Yamanouchi, S. 707
Yasukawa, K. 707
Yeh, F. C. 433
Yeoh, H. -H. 657
Yokoi, M. 771
Yoshida, M. 707

Zavarin, E. 25, 123, 133
Zygadlo, J. A. 469

# subject index


Aceraceae, distribution of anthocyanins in leaves from . . . . . 771
*Achillea*.
volatile oils in relation to infrageneric variation of *A. abrotanoides* . . . . 33
volatile constituents in relation to infraspecific variation of *A. millefolium* 665
Acteoside, distribution of in angiosperms . . . . . 477
*Adenocarpus*. taxonomic significance of alkaloids in the genus . . . . . 69
*Agelas*. chemotaxonomy of secondary metabolites in 4 sp of . . . . . 417
Albumin, immunology of seed S2 in the Leguminosae . . . . . 639
Algae,
marine, betaines and tertiary sulphonium compounds in . . . . . 373
brown, phlorotannins of in relation to marine herbivores . . . . . 493
Alkaloids,
taxonomic significance of in the genus *Adenocarpus* . . . . . 69
distribution and taxonomic significance of in *Genista cinerea* . . . . . 75
chemotaxonomy of major alkaloids in the genus *Podalyria* . . . . . 163
a new secofuroquinoline from *Zanthoxylum rhoifolium* . . . . . 173
bisbenzylisoquinoline and isoquinoline in *Thalictrum minus* . . . . . 255
pyrrolizidine, from *Senecio oxyphyllus* . . . . . 393
quinolizidine, transfer from *Lupinus texensis* to *Castilleja indivisa* . . . . . 473
chemotaxonomy of from *Hesperolaburnum platycarpum* . . . . . 583
Allelochemicals, biochemical defences against by herbivorous insects . . . . . 269
Allozyme phenotypes, association with soil nutrients in *Pinus banksiana* . . . . . 179
Amino acids,
sequences of in tubulins in relation to phylogeny of . . . . . 113
patterns of in leaf proteins from dicotyledons . . . . . 657
*Anabaena*. isoenzyme analysis of some freshwater strains from southern Italy . . 753
Angiosperms, chemotaxonomy of distribution of acteoside in . . . . . 477
Anthocyanins,
chemotaxonomy of from reproductive structures in the Pinaceae . . . . . 145
distribution of in leaves of the Aceraceae . . . . . 771
Antifungal activity, phenolic-acid interactions in ripe Ericaceous fruits . . . 501
*Apodemus*. inconsistency of biochemical evolutionary rates in the genus . . . . . 363
*Arnica*. identification of chromenes in *A. lessingii* and *A. amplexicaulis* . . . . . 590
*Artemisia*.
interspecific variation of phenolic concentrations in subgenus *Tridentatae* . . 41
seasonal variation of coumarins and flavonoids in *A. tridentata* ssp *wyomingensis* . 53
Ascidians, distribution of silica in the ovaries of 79 sp of . . . . . 541
Betaines, chemotaxonomy of in 62 sp of marine algae . . . . . 373
*Biflustra perfragilis*. volatile and odorous compounds from . . . . . 339
*Caradina*. effects of an organophosphate insecticide on enzyme loci of . . . . . 89
Carotenoids, comparison of in strains of *Oscillatoria* and *Spirulina* . . . . . 761
*Castilleja*. iridoid glycosides from 2 sp of . . . . . 473
*Cataglyphis*. chemotaxonomy of volatiles from exocrine glands of 10 sp of . . . . . 559
Celastraceae, antifeedant activity of sesquiterpenes from against *Spodoptera* . . 311
*Centaurea montana*. flavonoid glycoside variation in from 2 communities . . . . . 149
Chemosystematics,
of fatty acids in megagametophytes from *Cupressus bakeri* . . . . . 25
of flavonoids in 6 sp of *Leiothrix* from Brazil . . . . . 31
of foliar mono- and sesquiterpenoids in *Cupressus bakeri* . . . . . 123
of wood and foliage mono- and sesquiterpenoids in *Pinus radiata* . . . . . 133
biochemical, of notothenioid fish from Antarctica . . . . . 233
molecular, of chloroplast DNA from *Sedum album* . . . . . 243
of flavonol glycosides in 4 sp of Egyptian *Fagonia* . . . . . 259
molecular, of mitochondrial tRNA from nematodes . . . . . 325
biochemical, of allozyme divergence within the genus *Apodemus* . . . . . 363
biochemical, of African mole-rats . . . . . 401

Chemosystematics,
biochemical, of North American sp of *Pieronarcys* . . . . . 515
of silica distribution in ascidian ovaries . . . . . 541
of carotenoids from *Oscillatoria* and *Spirulina* . . . . . 761
Chemotaxonomy,
of volatile oil constituents of *Achillea abrotanoides* . . . . . 33
of alkaloids in the genus *Adenocarpus* . . . . . 69
of alkaloids in *Genista cinerea* . . . . . 75
of defensive secretions from ventral glands of *Nematus* sp . . . . . 107
of anthocyanins from reproductive structures in the Pinaceae . . . . . 145
of major alkaloids from 22 sp of *Podalyria* . . . . . 163
of flavonoids in the genus *Eugenia* . . . . . 266
of defensive secretions from 8 sp of Doryphorina beetles . . . . . 343
of volatile secretions from Dufour's glands of parasitic bees . . . . . 351
of betaines and tertiary sulphonium compounds in marine algae . . . . . 373
of fatty acids in nutlet lipids of the Stachyoideae . . . . . 389
of secondary metabolites in 4 sp of *Agelas* . . . . . 417
of phenolics in 2 sp of *Reichardia* . . . . . 449
of flavonoids in 24 sp of *Vicia* . . . . . 453
of constitutive flavonoids and induced isoflavonoids in *Vigna* . . . . . 459
of fatty acids in seed lipids from the Sapindaceae . . . . . 469
of the phenylpropanoid glycoside, acteoside, in angiosperms . . . . . 477
of fatty acids from lipids of *Helisoma trivolvis* . . . . . 553
of volatiles from exocrine glands of *Cataglyphis* ants . . . . . 559
of alkaloids from *Hesperolaburnum platycarpum* . . . . . 583
of seed proteins from *Festuca* subgenus *Festuca* . . . . . 615
of isoenzymes from *Erucastrum* sp and *Hirschfeldia incana* . . . . . 631
of constituents from glandular trichomes of *Pappobolus* sp . . . . . 671
of essential oils from 3 sp of *Neofabricia* . . . . . 689
chemometrics of petal flavonoids in modern rose cultivars . . . . . 697
of anthocyanins in leaves from the Aceraceae . . . . . 771
of phenolics from *Polypremum procumbens* . . . . . 787
Chemotypes,
of Hawaiian *Zanthoxylum* sp . . . . . 209
of *Thalictrum minus* from Yugoslavia . . . . . 255
Chromenes,
identification of in *Arnica lessingii* and *A. amplexicaulis* . . . . . 590
detoxification of in larvae of *Spodoptera littoralis* . . . . . 711
Chromosomes, polymorphism of in populations of *Ctenomys porteousi* . . . . . 723
*Cleome*, exudate flavonoids from aerial parts of 4 sp of . . . . . 443
Conifers, occurrence of rare structural mutation in chloroplast-DNA from . . . 17
Coumarins, seasonal variation of in *Artemisia tridentata* ssp *wyomingensis* . . . . . 53
Crows, genetic variability in a hybrid zone between carrion and hooded . . . . 605
*Ctenomys*.
intra- and interspecific genetic variability in . . . . . 523
population genetic structure of *C. porteousi* . . . . . 723
*Cupressus bakeri*.
chemical diversity of fatty acids in megagametophytes from . . . . . 25
variability of foliar mono- and sesquiterpenoids in . . . . . 123
Cyanogenesis, within and among populations of *Turnera* sp series *Canaligerae* . . . . 9
*Cyprinotus incongruens*, population genetics of . . . . . 735
Defensive secretions,
chemotaxonomy of from sawfly larvae . . . . . 107
chemotaxonomy of from Doryphorina beetles . . . . . 343
*Degeneria vitiensis*, constituents of heartwood from . . . . . 265
*Dennstaedtia punctilobula*, phenolics in relation to resource availability . . . . . 99
*Dhofaria*, confirmation of methyl glycosinolate in . . . . . 394
*Dictyostelium discoideum*, nutrient-dependent expression of a vegetative-specific gene 317
*Didymopanax*, polyacetylenes from roots of 2 Brazilian sp of . . . . . 783
Diversity, genetic, in thelytokous oribatid mites . . . . . 219

DNA,
chloroplast, occurrence of rare structural mutation in conifers . . . . . 17
chloroplast, clone bank and physical map of from *Sedum album* . . . . . 243
mt, restriction fragments and divergence of *Urophora* sp . . . . . 597
Doryphorina beetles, chemotaxonomy of defensive secretions from . . . . . 343
Dufour's gland, chemotaxonomy and morphology of in 7 sp of *Sphecodes* . . . . . 351
*Elaeocarpus chelonimorphus*. triterpenes from fruits of . . . . . 708
Electrophoresis,
pesticide-allozyme at two enzyme loci in *Caradina* . . . . . 89
of allozymes from natural populations of *Pinus banksiana* . . . . . 179
of enzymes from thelytokous oribatid mites . . . . . 219
of allozymes in notothenioid fish from Antarctica . . . . . 233
restriction site map of chloroplast DNA from *Sedum album* . . . . . 243
of allozymes from *Orchesella* after exposure to heavy metals . . . . . 297
of allozymes and biochemical evolution of genus *Apodemus* . . . . . 363
of allozymes from African mole-rats . . . . . 401
of isozymes from populations of *Thuja orientalis* . . . . . 433
of allozymes from North American sp of *Pteronarcys* . . . . . 515
of allozymes in 9 populations of *Ctenomys* . . . . . 523
of isozymes from Kenyan Phlebotomine sandflies . . . . . 593
of allozymes from carrion and hooded crows and their hybrids . . . . . 605
of seed proteins from *Festuca* subgenus *Festuca* . . . . . 615
of isoenzymes from *Erucastrum* sp and *Hirschfeldia incana* . . . . . 631
of allozyme polymorphism in populations of *Ctenomys porteousi* . . . . . 723
of esterase markers in populations of *Cyprinotus incongruens* . . . . . 735
of isozymes from 7 *Anabaena* sp strains . . . . . 753
Enzymes,
allozyme variation in the Hymenoptera . . . . . 1
effects of chlorpyrifos on genotype frequencies at 2 loci in *Caradina* . . . 89
association between allozymes and soil nutrients in *Pinus banksiana* . . . . . 179
ecological aspects of antioxidant and detoxifying in *Papilio* sp . . . . . 197
genetic diversity in thelytokous oribatid mites . . . . . 219
variation and systematics of in notothenioid fish . . . . . 233
allozyme variations in *Orchesella* after exposure to heavy metals . . . . . 297
aminopeptidase activity in hepatopancreas of *Procambarus clarkii* . . . . . 331
allozyme divergence and biochemical evolutionary rates in *Apodemus* . . . . . 363
allozyme variation in systematics of African mole-rats . . . . . 401
isozyme variation in populations of *Thuja orientalis* . . . . . 433
biochemical systematics of allozymes from *Pteronarcys* . . . . . 515
allozyme variation in 9 populations of *Ctenomys* . . . . . 523
ancestral affinities of lactate dehydrogenase from *Holothuria atra* . . . . . 535
isozyme analysis of 9 sandfly sp . . . . . 593
allozyme analysis of carrion and hooded crows . . . . . 605
allozyme polymorphism in populations of *Ctenomys porteousi* . . . . . 723
esterase markers in population genetics of *Cyprinotus incongruens* . . . . . 735
isoenzyme analysis of 7 *Anabaena* sp strains . . . . . 753
Ericaceae, antifungal activity of fruits of . . . . . 501
*Erucastrum*. isoenzyme patterns of some sp of . . . . . 631
Essential oils, chemotaxonomy of from 3 sp of *Neofabricia* . . . . . 689
*Eugenia*. distribution and taxonomic significance of flavonoids in the genus . . 266
*Euglena gracilis*. UV effects on photosynthesis, proteins and pigmentation . . . . . 485
*Eupsophus*. immunological relationships of the genus . . . . . 747
*Fagonia*. flavonoid chemistry in 2 complexes of Egyptian . . . . . 259
Fatty acids,
chemical diversity of in seed megagametophytes of *Cupressus bakeri* . . . . . 25
chemotaxonomy of in nutlet lipids of the Stachyoideae . . . . . 389
chemotaxonomy of in seed lipids from the Sapindaceae . . . . . 469
composition of in 2 strains of *Helisoma trivolvis* . . . . . 553
variability of in lipid classes from some *Mentha* sp . . . . . 573
*Festuca*. taxonomy of seed proteins from N. American subgenus *Festuca* . . . . . 615
Fish, biochemical systematics of notothenioid from Antarctica . . . . . 233

Flavonoids,
of 6 sp of *Leiothrix* from Brazil . . . . . 31
seasonal variations in concentrations of in *Artemisia tridentata* ssp *wyomingensis* . 53
glycoside variation in *Centaurea montana* from 2 communities . . . . . 149
flavonol glycosides in 4 sp of *Fagonia* from Egypt . . . . . 259
chemotaxonomy of in the genus *Eugenia* . . . . . 266
flavonol glycosides in leaves from *Physalis peruviana* . . . . . 268
exudate, from aerial parts of 4 *Cleome* sp . . . . . 443
chemotaxonomy of in 24 sp of *Vicia* . . . . . 453
chemotaxonomy of constitutive and induced isoflavonoids in *Vigna* . . . . . 459
identification from leaf surface of *Godmania aesculifolia* . . . . . 481
external and vacuolar from *Nepeta transcaucasica* . . . . . 589
exudate, identification of in *Mimulus lewisii* . . . . . 591
identification of from *Lotus tenuis* . . . . . 685
chemometrics of in petals of modern rose cultivars . . . . . 697
flavonol glycosides from *Lysimachia barystachys* . . . . . 707
from aerial parts of *Pallenis spinosa* . . . . . 785
Gene, nutrient-dependent expression of a vegetative-specific in *Dictyostelium* . . 317
*Genista cinerea*, distribution and taxonomic significance of alkaloids in . . . . . 75
*Godmania aesculifolia*, flavonoids from leaf surface of . . . . . 481
*Helisoma trivolvis*, fatty acid composition in 2 strains of . . . . . 553
Herbivory, marine, in relation to algal phlorotannins . . . . . 493
*Hesperolaburnum platycarpum*, chemotaxonomy of alkaloids from . . . . . 583
*Hirschfeldia incana*, isoenzyme patterns of . . . . . 631
*Holothuria atra*, affinities of lactate dehydrogenase from . . . . . 535
Hymenoptera, variable enzyme systems in . . . . . 1
Immunodetection, of specific proteins in Africanized honey bee . . . . . 395
Immunology, relationships of the South American frog genus *Eupsophus* . . . . . 747
Insecticide,
effects of an organophosphate on enzyme loci in *Caradina* . . . . . 89
volatile from Hawaiian *Zanthoxylum* sp . . . . . 209
Insects,
variable enzyme systems in the Hymenoptera . . . . . 1
defensive secretions from ventral glands of sawfly larvae . . . . . 107
ecological aspects of enzymes from swallowtail butterflies . . . . . 197
herbivorous, biochemical defences against pro-oxidant plant allelochemicals 269
allozyme variation in relation to heavy metal exposure of *Orchesella* . . . . 297
antifeedant activity of sesquiterpenes against Egyptian cotton leafworm . 311
chemotaxonomy of defensive secretions of Doryphorina beetles . . . . . 343
chemotaxonomy and morphology of Dufour's gland in parasitic bees . . . . . 351
immunodetection of Africanized honey bee specific proteins . . . . . 395
biochemical systematics of North American *Pteronarcys* . . . . . 515
volatiles from exocrine glands of *Cataglyphis* ants . . . . . 559
isozyme analysis of 9 Kenyan sandfly sp . . . . . 593
patterns of divergence within the genus *Urophora* . . . . . 597
detoxification of chromenes by larvae of *Spodoptera littoralis* . . . . . 711
Iridoids, glycosides from *Castilleja purpurea* and *C. indivisa* . . . . . 473
Lactate dehydrogenase, ancestral affinities of from *Holothuria atra* . . . . . 535
*Launaea*, phenolics from 3 Spanish sp of . . . . . 187
Leguminosae, immunological investigation of seed S2 albumin from . . . . . 639
*Leiothrix*, chemosystematics of flavonoids in 6 sp of from Brazil . . . . . 31
*Lotus tenuis*, identification of flavonoids from . . . . . 685
*Lupinus texensis*, quinolizidine alkaloid transfer to *Castilleja indivisa* . . . . . 473
*Lysimachia barystachys*, flavonol glycosides from . . . . . 707
*Mentha*, fatty acid variability in some sp of . . . . . 573
Metabolites, secondary, chemotaxonomy of in *Agelas* . . . . . 417
Metals, heavy, allozyme variation in *Orchesella* in relation to . . . . . 297
Methyl glycosinolate, confirmation in *Puccionia* and *Dhofaria* . . . . . 394
*Mimulus lewisii*, identification of flavonoid exudates from . . . . . 591
Mites, genetic diversity in thelytokous oribatid . . . . . 219
Mole-rats, African, allozyme variation and systematics of . . . . . 401

Monoterpenoids,
chemosystematics of foliar in *Cupressus bakeri* . . . . . 123
chemosystematics of wood and foliage in *Pinus radiata* . . . . . 133
Mutation, occurrence of rare structural in chloroplast-DNA of conifers . . . . 17
Nematoda, mitochondrial tRNA in relation to phylogeny of . . . . . 325
*Nematus*, defensive secretions from ventral glands of larvae from 13 sp of . . . 107
*Neofabricia*, composition of essential oils from 3 sp of . . . . . 689
*Nepeta transcaucasica*, external and vacuolar flavonoids from . . . . . 589
*Orchesella cincta*, allozyme variation in relation to heavy metal exposure of . . . . 297
*Oscillatoria*, carotenoids from strains of . . . . . 761
*Pallenis spinosa*, flavonoids from aerial parts of . . . . . 785
*Papilio*, ecological aspects of enzymes in 3 sp of . . . . . 197
*Pappobolus*, constituents from glandular trichomes of 33 sp of . . . . . 671
Phenolics,
interspecific variation in concentrations of from *Artemisia* subgenus *Tridentatae* 41
changes in relation to resource availability in hay-scented fern . . . . . 99
from 3 Spanish sp of *Launaea* . . . . . 187
chemotaxonomy of in 2 sp of *Reichardia* . . . . . 449
from aerial parts of *Polypremum procumbens* . . . . . 787
Phenols, interactions with acids and antifungal activity of Ericaceous fruits . 501
Phlorotannins, algal, in relation to North American and Australasian herbivores 493
Photosynthesis, effects of UV on in *Euglena gracilis* . . . . . 485
Phylogeny, structure-function relationships between tubulins in relation to . . 113
*Physalis peruviana*, flavonoids in leaves from . . . . . 268
Phytoalexins, chemotaxonomy of in genus *Vigna* . . . . . 459
Phytosociology, of flavonoid glycosides in *Centaurea montana* . . . . . 149
Pinaceae, chemotaxonomy of anthocyanins from reproductive structures of . . . . 145
*Pinus*,
variability of mono- and sesquiterpenoids in *P. radiata* . . . . . 133
associations between allozyme phenotypes and soil nutrients in *P. banksiana* . 179
*Podalyria*, chemotaxonomy of major alkaloids from 22 sp of . . . . . 163
Polyacetylenes, in 2 Brazilian sp of *Didymopanax* . . . . . 783
*Polypremum procumbens*, phenolics from aerial parts of . . . . . 787
*Procambarus clarkii*, aminopeptidase activity in hepatopancreas of . . . . . 331
Proteins,
specific, immunodetection of in Africanized honey bee . . . . . 395
effects of UV on in *Euglena gracilis* . . . . . 485
immunological investigation of seed S2 albumin in the Leguminosae . . . . 639
leaf, contents and amino acid patterns in dicotyledons . . . . . 657
*Pteronarcys*, biochemical systematics of 8 North American sp . . . . . 515
*Puccionia*, confirmation of methyl glycosinolate in . . . . . 394
*Reichardia*, chemotaxonomy of phenolics in 2 sp of . . . . . 449
Resource availability, phenolics in relation to in hay-scented fern . . . . . 99
*Rosa hybrida*, automatic recognition of cultivars of . . . . . 697
Sapindaceae, fatty acid variation in seed lipids from 11 sp of . . . . . 469
*Sedum album*, clone bank and physical map of chloroplast DNA from . . . . . 243
*Senecio oxyphyllus*, pyrrolizidine alkaloids from . . . . . 393
Sesquiterpenoids,
chemosystematics of foliar in *Cupressus bakeri* . . . . . 123
chemosystematics of wood and foliage in *Pinus radiata* . . . . . 133
dihydro-β-agarofuran, antifeedant activity against *Spodoptera* . . . . . 311
Silica, distribution of in the ovaries of ascidians . . . . . 541
Soil nutrients, association with allozyme phenotypes in *Pinus banksiana* . . . . . 179
*Sphecodes*, chemotaxonomy and morphology of Dufour's gland in 7 sp of . . . . . 351
*Spirulina*, carotenoids from strains of . . . . . 761
*Spodoptera littoralis*,
antifeedant activity of sesquiterpenes against . . . . . 311
detoxification of chromenes by larvae of . . . . . 711
Sponges, chemotaxonomy of secondary metabolites in 4 sp of *Agelas* . . . . . 417
Stachyoideae, chemotaxonomy of fatty acids in nutlet lipids from 28 sp of . . . 389
Sulphonium compounds, tertiary, chemotaxonomy of in marine algae . . . . . 373

*Thalictrum minus*. chemical and cytological investigation of . . . . . 255
*Thuja orientalis*. genetic structure in populations of . . . . . 433
Trichomes, glandular, analysis of constituents of from *Pappobolus* sp . . . . . 671
Triterpenes, from fruits of *Elaeocarpus chelonimorphus* . . . . . 708
tRNA, mitochondrial, sequences of in relation to phylogeny of nematodes . . . . 325
Tubulins, phylogenetic implications of structure–function relationships of . . 113
*Turnera*. cyanogenesis within and among populations of series *Canaligerae* . . . . . 9
*Urophora*. patterns of divergence within, from mt DNA restriction fragments . . . 597
UV, effects on photosynthesis, proteins and pigmentation of *Euglena gracilis* . . . 485
Variability, interspecific, of fatty acids from some *Mentha* sp . . . . . 573
*Vicia*. chemotaxonomy of flavonoids in 24 sp of . . . . . 453
*Vigna*. constitutive flavonoids and induced isoflavonoids as taxonomic markers for 459
Volatile oils,
composition of in relation to infragenetic variation in *Achillea abrotanoides* . . 33
constituents of in relation to infraspecific variation in *Achillea millefolium* . 665
Volatiles,
from the malodorous bryozoan *Biflustra perfragilis* . . . . . 339
from Dufour's glands of parasitic bees . . . . . 351
chemotaxonomy of from exocrine glands of *Caiaglyphis* sp . . . . . 559
*Zanthoxylum*
constituents from *Z. rhoifolium* . . . . . 173
insecticidal compounds in and chemical variability of Hawaiian sp of . . . 209

Compiled by Dr Peter J. Holloway, Department of Agricultural Sciences,
University of Bristol, AFRC Institute of Arable Crops Research,
Long Ashton Research Station, Bristol BS18 9AF, UK.